

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| L1 | 231 | (temporar\$3 recover\$3) AND (decrypt\$3 encrypt\$3) AND (database NEAR (password key)) AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls. 707/9,202.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/21 16:33 |
| L2 | 55 | user\$1name AND (temporar\$3 recover\$3 backdoor backup) AND (decrypt\$3 encrypt\$3) AND (database NEAR (password key)) AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls. 707/9,202.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/21 16:34 |
| L3 | 18 | vendor AND user\$1name AND (temporar\$3 recover\$3 backdoor backup) AND (decrypt\$3 encrypt\$3) AND (data\$1base NEAR (password key)) AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls. 707/9,202.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/21 16:34 |
| L4 | 55 | (program software agent\$1 application\$1) AND user\$1name AND (temporar\$3 recover\$3 backdoor backup) AND (decrypt\$3 encrypt\$3) AND (data\$1base NEAR (password key)) AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls. 707/9,202.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/21 16:35 |
| L5 | 1520 | password.clm. AND database.clm. AND ("713".clas. "726".clas. "380".clas. "707".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/21 16:36 |
| L6 | 174 | password.clm. AND database.clm. AND user\$1name.clm. AND ("713".clas. "726".clas. "380".clas. "707".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/21 16:36 |

EAST Search History (Prior Art)

| | | | | | | |
|----|-----|--|--|-----|----|------------------|
| L7 | 1 | password.clm. AND database.clm. AND user\$1name.clm. AND key.clm. AND temporary.clm. AND ("713".clas. "726".clas. "380".clas. "707".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/21 16:37 |
| L8 | 0 | password.clm. AND database.clm. AND user\$1name.clm. AND key.clm. AND temporary.clm. AND launcher.clm. AND ("713".clas. "726".clas. "380".clas. "707".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/21 16:37 |
| L9 | 0 | password.clm. AND database.clm. AND user\$1name.clm. AND launcher.clm. AND ("713".clas. "726".clas. "380".clas. "707".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/08/21 16:37 |
| S1 | 299 | (713/183.ccls.) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/09 08:49 |
| S2 | 5 | (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND (713/183.ccls.) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/09 14:51 |
| S3 | 199 | (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/09 14:52 |
| S4 | 74 | (sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/09 14:55 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|-----|--|---|-----|----|------------------|
| S5 | 120 | (key OR public key OR private key) AND (authenticate OR sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/09 14:54 |
| S6 | 134 | (key OR public key OR private key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 14:25 |
| S7 | 73 | (key OR public\$1key OR private\$1key) AND (sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/09 14:56 |
| S8 | 2 | "5768373".pn. | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/09 15:09 |
| S9 | 2 | "5699428".pn. | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/09 15:10 |
| S10 | 138 | (data recovery OR forensic) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 09:12 |
| S11 | 22 | key AND (public\$1key OR private\$1key) AND (data recovery OR forensic) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 09:12 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|-----|--|----------|-----|----|------------------|
| S12 | 246 | (key OR public key OR private key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | US-PGPUB | ADJ | ON | 2007/05/10 14:26 |
| S13 | 157 | file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | US-PGPUB | ADJ | ON | 2007/05/10 14:28 |
| S14 | 159 | file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | US-PGPUB | ADJ | ON | 2007/05/10 14:29 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|----|--|---|-----|----|------------------|
| S15 | 89 | (temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | US-PGPUB | ADJ | ON | 2007/05/10 14:30 |
| S16 | 89 | (momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | US-PGPUB | ADJ | ON | 2007/05/10 15:48 |
| S17 | 1 | "7216110".pn. | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 15:24 |
| S18 | 89 | (momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | US-PGPUB | ADJ | ON | 2007/05/10 15:48 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|-----|--|-------------------|-----|----|------------------|
| S19 | 87 | (momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; IBM_TDB | ADJ | ON | 2007/05/10 15:51 |
| S20 | 87 | (momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; IBM_TDB | ADJ | ON | 2007/05/10 15:57 |
| S21 | 312 | (momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; IBM_TDB | ADJ | ON | 2007/05/10 15:58 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|-----|--|-------------------|-----|----|------------------|
| S22 | 267 | (decrypt OR decryption OR decrypting OR decrypted) AND (encrypt OR encrypted OR encryption OR encrypting) AND (momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; IBM_TDB | ADJ | ON | 2007/05/10 15:59 |
| S23 | 266 | (reading OR read OR parsing OR parsed OR parse) AND (decrypt OR decryption OR decrypting OR decrypted) AND (encrypt OR encrypted OR encryption OR encrypting) AND (momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; IBM_TDB | ADJ | ON | 2007/05/10 15:59 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|------|--|---|-----|----|------------------|
| S24 | 262 | (reading OR read OR parsing OR parsed OR parse OR analyze OR analyzed OR analyzing OR determine OR determined OR determining) AND (decrypt OR decryption OR decrypting OR decrypted) AND (encrypt OR encrypted OR encryption OR encrypting) AND (momentary OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; IBM_TDB | ADJ | ON | 2007/05/10 16:00 |
| S25 | 7209 | data recovery AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 16:18 |
| S26 | 701 | file AND database AND data recovery AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 16:19 |
| S27 | 51 | file AND database AND data recovery AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 16:19 |
| S28 | 2 | "6185308".pn. | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/11 09:42 |
| S29 | 33 | (PKI OR (private key AND public key)) AND hash\$3 AND database AND (713/183.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/09 08:58 |
| S30 | 5 | recovery AND (PKI OR (private key AND public key)) AND hash\$3 AND database AND (713/183.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/09 09:00 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|-----|---|---|-----|----|------------------|
| S31 | 6 | recovery AND hash\$3 AND database AND (713/183.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/09 11:03 |
| S32 | 32 | data recovery AND hash\$3 AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:36 |
| S33 | 5 | password recovery AND hash AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:37 |
| S34 | 9 | password recovery AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:40 |
| S35 | 0 | database password recovery AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:41 |
| S36 | 34 | database password AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:41 |
| S37 | 17 | hash AND database password AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:41 |
| S38 | 19 | hash\$3 AND database password AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:41 |
| S39 | 9 | username AND hash\$3 AND database password AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:43 |
| S40 | 146 | key AND password AND username AND hash\$3 AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:43 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|-----|---|---|-----|----|------------------|
| S41 | 101 | public key AND password AND username AND hash\$3 AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:43 |
| S42 | 72 | private key AND public key AND password AND username AND hash\$3 AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:43 |
| S43 | 1 | dump file AND private key AND public key AND password AND username AND hash\$3 AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 13:46 |
| S44 | 26 | recover\$3 AND private key AND public key AND password AND username AND hash\$3 AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/13 14:16 |
| S45 | 5 | recover\$3 AND private key AND public key AND password AND username AND hash\$3 AND database key AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 09:34 |
| S46 | 210 | (one\$1time key OR one time key OR one time password OR one\$1time password OR one\$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 09:38 |
| S47 | 81 | temporary AND (one\$1time key OR one time key OR one time password OR one\$1time password OR one\$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 09:38 |
| S48 | 79 | user AND temporary AND (one\$1time key OR one time key OR one time password OR one\$1time password OR one\$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 09:44 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|----|---|---|-----|----|------------------|
| S49 | 79 | access AND user AND temporary AND (one\$1time key OR one time key OR one time password OR one\$1time password OR one\$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 09:44 |
| S50 | 68 | restrict\$3 AND access AND user AND temporary AND (one\$1time key OR one time key OR one time password OR one\$1time password OR one\$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 09:49 |
| S51 | 68 | restrict\$3 AND access AND user AND temporary AND (single use key OR single use password OR one\$1time key OR one time key OR one time password OR one\$1time password OR one\$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 09:50 |
| S52 | 9 | restrict\$3 AND access AND user AND temporary password AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 09:57 |
| S53 | 4 | access control AND user AND temporary password AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 10:08 |
| S54 | 96 | generat\$3 AND user AND one time password AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 10:08 |
| S55 | 25 | generat\$3 AND username AND one time password AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 10:08 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|------|---|--|-----|----|------------------|
| S56 | 4 | "5592553".pn. OR "5418854".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/11/14 16:37 |
| S57 | 3341 | (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 10:48 |
| S58 | 115 | recovery AND password AND database AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 10:56 |
| S59 | 6 | file AND dump AND recovery AND password AND database AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 10:57 |
| S60 | 83 | decrypt\$3 AND encrypt\$3 AND recovery AND password AND database AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:06 |
| S61 | 35 | temporary AND decrypt\$3 AND encrypt\$3 AND recovery AND password AND database AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:06 |
| S62 | 83 | (user client) AND decrypt\$3 AND encrypt\$3 AND recovery AND password AND database AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:06 |
| S63 | 56 | temporary AND decrypt\$3 AND encrypt\$3 AND recovery AND password AND database AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:12 |
| S64 | 122 | decrypt\$3 AND encrypt\$3 AND recovery AND password AND database AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:13 |

EAST Search History (Prior Art)

| | | | | | | |
|-----|-------|---|--|-----|----|------------------|
| S65 | 3 | (murray.in. mendonca.in.) AND recovery AND database AND password | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:19 |
| S66 | 40 | (murray.in. mendonca.in.) AND ("713". clas. "726".clas. "380".clas.) | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:20 |
| S67 | 659 | (murray.in. mendonca.in.) AND recovery | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:20 |
| S68 | 4 | (murray.in. mendonca.in.) AND (713/155, 168,182,183.ccls. 726/2.ccls. 380/59, 285.ccls.) | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:21 |
| S69 | 16 | (murray.in. mendonca.in.) AND ("713". clas.) | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:21 |
| S70 | 19242 | (murray.in. mendonca.in.) | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:21 |
| S71 | 24 | (murray.in. mendonca.in.) AND recovery AND database | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/21 11:21 |
| S72 | 31 | recover\$3 AND decrypt\$3 AND encrypt\$3 AND (database NEAR password) AND (713/155,168,182,183.ccls. 726/2.ccls. 380/59,285.ccls. 707/9,202.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/19 13:20 |
| S73 | 29 | (private public) AND key AND recover\$3 AND decrypt\$3 AND encrypt\$3 AND (database NEAR password) AND (713/155, 168,182,183.ccls. 726/2.ccls. 380/59, 285.ccls. 707/9,202.ccls.) AND (@pd<"20040408" @ad<"20040408" @prad<"20040408" @rlad<"20040408") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/19 13:21 |